

MODIS Level 2 Land Surface Temperature Science Processing Algorithm

MODLST_SPA

General

The NASA Goddard Space Flight Center's (GSFC) Direct Readout Laboratory (DRL), Code 606.3 developed this wrapper software for the National Polar-orbiting Operational Environmental Satellite System (NPOESS) Preparatory Project (NPP) In-Situ Ground System (NISGS) and the International Polar Orbiter Processing Package (IPOPP).

Users must agree to all terms and conditions in the Software Usage Agreement on the DRL Web Portal before downloading this software.

Software and documentation published on the DRL Web Portal may occasionally be updated or modified. The most current versions of DRL software are available at the DRL Web Portal:

<http://www.directreadout.sci.gsfc.nasa.gov>

Questions relating to the contents or status of this software and its documentation should be addressed to the DRL via the Contact Us mechanism at the DRL Web Portal:

<http://directreadout.sci.gsfc.nasa.gov/index.cfm?section=contact%20us>

Algorithm Wrapper Concept

The DRL has developed an algorithm wrapper to provide a common command and execution interface to encapsulate multi-discipline, multi-mission science processing algorithms. The wrapper also provides a structured, standardized technique for packaging new or updated algorithms with minimal effort.

A Science Processing Algorithm (SPA) is defined as a wrapper and its contained algorithm. SPAs will function in a standalone, cross-platform environment to serve the needs of the broad Direct Readout community. Detailed information about SPAs and other DRL technologies is available at:

<http://directreadout.sci.gsfc.nasa.gov/index.cfm?section=technology>

Software Description

This software package contains the Level 2 MODIS Land Surface Temperature (LST) SPA (MODLST_SPA). This LST algorithm uses brightness temperatures in MODIS bands 31 and 32 to produce day and night LST products at 1-km spatial resolutions in swath format. It uses MODIS Level 1B 1-km and geolocation Hierarchical Data Format (HDF) files and outputs LST in HDF. The MODLST_SPA functions in two modes: Standalone, or as an IPOPP plug-in.

Software Version

Version 1 of the DRL algorithm wrapper was used to package the SPA described in this document.

Credits

The Level 2 MODIS LST production code (Version 4.14, November 30, 2007) was provided to the DRL by the MODIS Land Rapid Response Team.

Enhancements

This version of the MODLST_SPA addresses stability and portability issues across multiple platforms, and includes enhancements to input checking and error handling.

Prerequisites

To run this package, you must have the Java Development Kit (JDK) or Java Runtime Engine (JRE) (Java 1.5 or higher) installed on your computer, and have the Java installation bin/ subdirectory in your PATH environment variable.

Program Inputs and Outputs

The MODIS L1B input products can be obtained from the DRL ftp site. The datasets only cover the eastern US region.

DRL ftp site:

For Terra MODIS: <ftp://is.sci.gsfc.nasa.gov/gsfcddata/terra/modis/level1/>

For Aqua MODIS: <ftp://is.sci.gsfc.nasa.gov/gsfcddata/aqua/modis/level1/>

Datasets from other areas can be obtained either from the Distributed Active Archive Center (DAAC) or from other Direct Readout stations.

Output is the MODIS Level 2 LST Product.

Installation and Configuration

This section contains instructions for installing an SPA in a standalone configuration. SPAs may also be installed dynamically into an IPOPP framework; instructions for this type of installation are contained in the IPOPP User's Guide.

Download the MODLST_4.14_SPA_1.0.tar.gz and MODLST_4.14_SPA_1.0_testdata.tar.gz (optional) files into the same directory.

Decompress and un-archive the MODLST_4.14_SPA_1.0.tar.gz and MODLST_4.14_SPA_1.0_testdata.tar.gz (optional) files:

```
$ tar -xzf MODLST_4.14_SPA_1.0.tar.gz
$ tar -xzf MODLST_4.14_SPA_1.0_testdata.tar.gz
```

This will create the following subdirectories:

SPA

MODLST

algorithm

ancillary

station

wrapper

testscripts

testdata

For convenience, this package contains binaries statically pre-compiled on an Intel-compatible 32-bit computer running under Fedora Core 4, using gcc 4.0.2. The binaries should work on most Linux OS/platforms. If you receive an error message while running the testscripts (refer to the next section, "Software Package Testing and Validation"), you may need to recompile the software for your platform/OS combination. Refer to the Appendix for instructions on recompiling the software.

Software Package Testing and Validation

The testscripts subdirectory contains a test script that can be used to verify that your current installation of the SPA is working properly, as described below. Note that the optional MODLST_4.14_SPA_1.0_testdata.tar.gz file is required to execute these testing procedures.

Step 1: cd into the testscripts directory.

Step 2: Run the 'run-MODLST' script by typing: `./run-MODLST`

A successful execution usually takes some time (about 5 minutes, depending on the speed of your computer), so if the execution seems to get stuck, do not become impatient. If everything is working properly, the scripts will terminate with a message such as:

Output modis.landst is

/home/IPOPP/SPA/MODLST/testdata/output/LST.07054183325.hdf

You can cd to the output directory to verify that the science product exists. If it does exist, then the wrapped SPA works perfectly. Test output product(s) are available for comparison in the testdata/output directory. If there is a problem and the code terminates abnormally, the problem can be identified using the log files. Log files are generated automatically within the directory used for execution. Their names start with stdfile* and errfile*. Other problems may be caused by incompatibility between your system and the binaries provided with this software package. In that case you may need to recompile the software for your platform/OS combination.

Refer to the Appendix for instructions on recompiling the software. Please report any errors that cannot be fixed to the DRL.

Program Operation

In order to run the package using your own input data, you can either use the run script within the wrapper directory, or modify the test script within the testscripts directory.

To Use the Run Scripts

Identify the 'run' scripts: The wrapper/MODLST directory contains the 'run' script. Execute the 'run' to execute the MODLST_SPA. Note that to execute 'run', you must have java on your path.

Specify input parameters using <label value> pairs: To execute the 'run' script, you must supply the required input and output parameters. Input and output parameters are usually file paths. Each parameter is specified on the command line by a <label value> pair. Labels are simply predefined names for parameters. Each label must be followed by its actual value. Each SPA has its own set of <label value> pairs that must be specified in order for it to execute. There are three types of <label value> pairs that the MODLST_SPA uses, as follows:

- a) Input file label/values. These are input file paths. Values are absolute or relative paths to the corresponding input file.
- b) Parameter label/values. These are parameters that need to be passed onto the SPA (e.g., the name of the platform).
- c) Output file labels. These are output files that are produced by the SPA. Values are the relative/absolute paths of the files you want to generate.

The following table contains labels, and their descriptions, required by the MODLST_SPA.

Input File Labels	Description
modis.mxd021km	MODIS 1km L1B Calibrated Geolocated Radiances HDF file (MOD021KM, MYD021KM)
modis.mxd03	MODIS Geolocation HDF file (MOD03, MYD03)
platform	'TERRA' or 'AQUA'
Output File Label	Description
modis.landst	MODIS Direct Broadcast (DB) LST product

Execute the 'runs': The following is an example of a command line to run MODLST_SPA from the testscripts subdirectory. You can run it from the directory of your choice by using the correct paths to the 'run' scripts and your datasets.

```
$ ../wrapper/MODLST/run \
```

```
    modis.mxd021km ../testdata/input/MYD021KM.07054183325.hdf \
```

```
    modis.mxd03 ../testdata/input/MYD03.07054183325.hdf \
```

```
    platform AQUA \
```

```
    modis.landst ../testdata/output/LST.07054183325.hdf
```

Output modis.landst is

```
/home/IPOPP/SPA/MODLST/testdata/output/LST.07054183325.hdf
```

A successful execution usually takes some time (approximately 5 minutes, depending on the speed of your computer), so if the execution seems to get stuck, do not become impatient. If execution fails, you will see an error message indicating the cause of failure (e.g., a file cannot be found, or a label cannot be recognized). Correct the problem and run again. The problem can also be identified using the `stdfile*` and `errfile*` log files. Log files are automatically generated within the directory used for execution. Other problems may be caused by incompatibility between your system and the binaries provided with this software package. In that case you may need to recompile the software for your platform/OS combination. Refer to the Appendix for instructions on recompiling the software.

To Use the Script in the testscripts Directory

One simple way to run the algorithms from any directory of your choice, using your own data, is to copy the run-MODLST script from the testscripts directory to the

selected directory. Change the values of the variables WRAPPERHOME, L1HOME and OUTPUTHOME to reflect the file paths of the wrapper directories and the input/output file paths. Then modify the input/output file name and satellite platform variables. Run the script to process your data.

Appendix

Instructions for Recompiling the MODLST_SPA Software

If you are going to build the binaries in this package, you will need to install the Hierarchical Data Format (HDF) library, HDF4.2rX on your system. (The DRL recommends using version HDF4.2r1.) The HDF4.2rX library can be obtained in precompiled binary form at <http://hdf.ncsa.uiuc.edu>. Download the library for your platform and install it. Make sure to get the JPEG, ZLIB and SZIP libraries for your platform and place all of the library and include files under the lib/ and include/ directories within the HDF install directory. Then cd into the SPA/MODLST/algorithm directory. Modify "Makefile" to use the correct C compiler, and any additional compilation options that may be necessary. Edit the HDFHOME variable to point to the correct HDF install directory. First run "make clean" to remove any existing binaries. Next run "make" to build the binaries.